	Application No.	Applicant(s)	
Notice of Allowability	Application 140.	Applicant(s)	
	09/775,343	MCDEVITT ET AL.	
rouse or runowasinty	Examiner	Art Unit	
	BJ Forman	1634	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED) or other appropriate comm IGHTS. This application is	in this application. If not included nunication will be mailed in due course	e. THIS ne initiative
1. X This communication is responsive to papers filed 13 June	2007 and interview of 3 Au	<u>gust 2007</u> .	
2. 🗵 The allowed claim(s) is/are <u>309,311-320,323,324,326,331</u>	,335-338,340 and 341.		
3. Acknowledgment is made of a claim for foreign priority up a) All b) Some* c) None of the:		or (f).	
1. Certified copies of the priority documents have		,	
2. Certified copies of the priority documents have	• • • • • • • • • • • • • • • • • • • •		
3. Copies of the certified copies of the priority do	cuments have been receive	ed in this national stage application fro	om the
International Bureau (PCT Rule 17.2(a)).	•		
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to fil IENT of this application.	e a reply complying with the requirem	ents
4. A SUBSTITUTE OATH OR DECLARATION must be submiNFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXes reason(s) why the oath o	AMINER'S AMENDMENT or NOTICE or declaration is deficient.	E OF
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) ☐ including changes required by the Notice of Draftspers		w (PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date	_	(
(b) ☐ including changes required by the attached Examiner' Paper No./Mail Date	s Amendment / Comment o	or in the Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the header according to 37 C	the drawings in the front (not the back) FR 1.121(d).	of
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 	SIT OF BIOLOGICAL MAT FOR THE DEPOSIT OF BI	ERIAL must be submitted. Note th OLOGICAL MATERIAL.	e
	•		•
Attachment(s)			
1. ☐ Notice of References Cited (PTO-892)	5. Notice of I	nformal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🛛 Interview S	Summary (PTO-413),	
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No. 7. ⊠ Examiner's	/Mail Date Amendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's	Statement of Reasons for Allowance	•
	9. Other		
		BJ FORMAN, PH.D. PRIMARY EXAMINER	

Art Unit: 1634

NOTICE OF ALLOWABILITY

Status of the Claims

This action is in response to papers filed 13 June 2007 in which claims 309, 323, 331, 335, 336, 338 were amended and further in response to amendments discussed during an interview with Mr. Landrum on 3 August 2007.

All previous rejections are withdrawn in view of the amendments.

The amendments overcome the previous rejections and place the pending claims in condition for allowance.

Claims 309,311-320,323,324,326,331,335-338,340 and 341 are in condition for allowance.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Charles Landrum on 3 August 2007.

- a. In Claim 309, line 1; before "system for detecting" insert --- sensor array ----.
- b. Delete Claims 321.
- c. In Claim 330, line 1; replace "particles" with --- particle ---.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The claims are drawn to a cartridge having a multi-layered sensor, the sensor having arrayed cavities for containing particles and fluidic channels above and below the arrayed

Application/Control Number: 09/775,343

Art Unit: 1634

cavities to provide fluid to the particles from above and below during use. The prior art does not anticipate or make obvious the claimed invention.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Claims 309,311-320,323,324,326,331,335-338,340 and 341 are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BJ Forman whose telephone number is (571) 272-0741. The examiner can normally be reached on 6:00 TO 3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ram Shukla can be reached on (571) 272-0735. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is

Art Unit: 1634

a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

BJ Forman, Ph.D. Primary Examiner Art Unit: 1634 August 3, 2007